


SHELTA

Catalogue

Shelta implants



h	ø 3.80	ø 4.25	ø 5.00	ø 6.00
8.50	SH-ZT-380-085	SH-ZT-425-085	SH-ZT-500-085	SH-ZT-600-085
10.00	SH-ZT-380-100	SH-ZT-425-100	SH-ZT-500-100	SH-ZT-600-100
11.50	SH-ZT-380-115	SH-ZT-425-115	SH-ZT-500-115	SH-ZT-600-115
13.00	SH-ZT-380-130	SH-ZT-425-130	SH-ZT-500-130	SH-ZT-600-130
15.00	SH-ZT-380-150	SH-ZT-425-150	SH-ZT-500-150	-

Surgical cover screw




SH-VT-380-VE

SH-VT-425-BL

SH-VT-500-VI

SH-VT-600-GR

Shelta SL implants



h	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●
8.50	SH-ZT-380SL-085	SH-ZT-425SL-085	SH-ZT-500SL-085
10.00	SH-ZT-380SL-100	SH-ZT-425SL-100	SH-ZT-500SL-100
11.50	SH-ZT-380SL-115	SH-ZT-425SL-115	SH-ZT-500SL-115
13.00	SH-ZT-380SL-130	SH-ZT-425SL-130	SH-ZT-500SL-130
15.00	SH-ZT-380SL-150	SH-ZT-425SL-150	SH-ZT-500SL-150

Surgical cover screw




SH-VT-380-VE

SH-VT-425-BL

SH-VT-500-VI

Surgical kits

Shelta surgical kit



ZSHELTA-INT


grommetless surgical kit including all the instruments for Shelta and Shelta SL implants.

SH-TRAY-INT

radel instrument grommetless tray for Shelta and Shelta SL implants

For further information on the surgical kit and the surgical procedures, please consult the surgical manual MC-IMP-SHELTA.

Shelta and Premium One surgical kit




ZPRESH-INT

grommetless surgical kit including all the instruments for Premium One and Shelta implants

ASH-TRAY-INT

radel instrument grommetless tray for Premium One and Shelta implants

Shelta and Shelta SL guided surgery surgical kit



ZGS-PRO-S-INT

grommetless surgical kit including all the instruments for guided surgery insertion of Shelta and Shelta SL implants


GSPROS-TRAY-INT

radel instrument grommetless tray for guided insertion of Shelta and Shelta SL implants



For further information on the surgical kit and the surgical procedures, please consult the surgical manual MC-UD-EPLANPROS-E.

Instruments included in Shelta surgical kit

Precision drill


	FS-230	precision drill
---	--------	-----------------

Pilot drill, intermediate drill and related stops




	CSR-FP-200	pilot drill
	SE-FK250	intermediate conical drill

	h	
	8.50	CSR-STOP-2028-085
	10.00	CSR-STOP-2028-100
	11.50	CSR-STOP-2028-115
	13.00	CSR-STOP-2028-130
	15.00	CSR-STOP-2028-150

Bone taps with right angle shank

	ø 3.80	ø 4.25	ø 5.00
	SH-MS-380-CA	SH-MS-425-CA	SH-MS-500-CA




Screwdrivers

	HSMXS-20-DG	digital, extra short
	HSM-20-DG	digital, short
	HSML-20-DG	digital, long
	HSM-20-EX	with hexagonal connector
	HSML-20-EX	with hexagonal connector, long
	HSM-20-CA	with right angle shank


Dynamometric ratchet

	CRI5-KIT
---	----------

Easy Insert Drivers for implant insertion


	EASYC4-EX230-CA	short
	EASYL4-EX230-CA	long
	EASY4-EX230-EX	with hexagonal connector

Final drills and related stops




	h	ø 3.80	ø 4.25	ø 5.00
	8.50	SH-FK380-085	SH-FK425-085	SH-FK500-085
	10.00	SH-FK380-100	SH-FK425-100	SH-FK500-100
	11.50	SH-FK380-115	SH-FK425-115	SH-FK500-115
	13.00	SH-FK380-130	SH-FK425-130	SH-FK500-130
	15.00	SH-FK380-150	SH-FK425-150	SH-FK500-150

	ø 3.80	ø 4.25	ø 5.00
	SH-STOP4-FK380	SH-STOP4-FK425	SH-STOP4-FK500

Reply

	h	ø 3.80	ø 4.25	ø 5.00
	8.50	SH-380-085-RP	SH-425-085-RP	SH-500-085-RP
	10.00	SH-380-100-RP	SH-425-100-RP	SH-500-100-RP
	11.50	SH-380-115-RP	SH-425-115-RP	SH-500-115-RP
	13.00	SH-380-130-RP	SH-425-130-RP	SH-500-130-RP
	15.00	SH-380-150-RP	SH-425-150-RP	SH-500-150-RP


Extensions and adapters

	BPM-15	extension for instruments with hexagonal connector
	PROF-CAL3	extension for surgical drills
	AVV-CA-DG-EX	adapter for right angle shank instruments


Parallelism pin with depth laser marking



	PPTL-2-28
---	-----------


X-ray templates


	SH-L100	real dimensions
	SH-L120	dimensions increased by 20%
	SH-L130	dimensions increased by 30%

Optional instruments (not included in Shelta surgical kit)










Intermediate drill		
	FG-200/280XS	ø 2.00 - ø 2.80



Final drills for Shelta implants ø 6.00 mm and related stops		
	h	ø 6.00 ●
	8.50	SH-FK600-085
	10.00	SH-FK600-100
	11.50	SH-FK600-115
	ø 6.00 ●	
		SH-STOP4-FK600



Reply for Shelta implants ø 6.00 mm		
	h	ø 6.00 ●
	8.50	SH-600-085-RP
	10.00	SH-600-100-RP
	11.50	SH-600-115-RP
	13.00	SH-600-130-RP


Bone taps with hexagonal connector			
	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●
	SH-MS-380	SH-MS-425	SH-MS-500


Bone taps with right angle shank for Shelta implants ø 6.00 mm	
	SH-MS-600-CA


Screwdrivers		
	HSMXL-20-EX	with hexagonal connector, extra long
	HSMXS-20-CA	with right angle shank, extra short
	AVV-CAP-TIT-1	instrument for maintaining of the titanium cap for ball attachments
	BASCC-EX	for ball attachments, with hexagonal connector
	AVV2-ABUT	for straight P.A.D. abutments
	8926-SW	for Locator abutment, short
	8927-SW	for Locator abutment, long
	DSPDCLH-24	for Dynamic Abutment and Interfase Dynamica, length 24 mm
	DSPDCLH-32	for Dynamic Abutment and Interfase Dynamica, length 32 mm


Parallelism pins		
	PPTS-2-28	with depth laser marking, small
	PP-2/28	without depth laser marking, standard



Extensions and adapters		
	B-AVV-CA3	mechanical adapter for instruments with hexagonal connector
	AVV3-MAN-DG	digital knob

Countersink drills			
	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●
	A-FCC-380	A-FCC-425	A-FCC-500



Drills for distal sectors				
	ø		ø	
	2.00	FPT5-200-LXS	3.30	FFT5-330-LXS
	2.80	FFT5-280-LXS	3.40	FFT5-340-LXS
	2.90	FFT5-290-LXS	3.60	FFT5-360-LXS
	3.00	FFT5-300-LXS	4.25	FFT5-425-LXS
	3.20	FFT5-320-LXS	4.45	FFT5-445-LXS

Osteotomes with flat tip				
	h	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●
	8.50-10.00	SH-OS-380-100-PP	SH-OS-425-100-PP	SH-OS-500-100-PP
	11.50	SH-OS-380-115-PP	SH-OS-425-115-PP	SH-OS-500-115-PP
	13.00	SH-OS-380-130-PP	SH-OS-425-130-PP	SH-OS-500-130-PP
	15.00	SH-OS-380-150-PP	SH-OS-425-150-PP	SH-OS-500-150-PP


Round tip osteotomes				
	h	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●
	8.50-10.00	SH-OS-380-100-PR	SH-OS-425-100-PR	SH-OS-500-100-PR
	11.50	SH-OS-380-115-PR	SH-OS-425-115-PR	SH-OS-500-115-PR
	13.00	SH-OS-380-130-PR	SH-OS-425-130-PR	SH-OS-500-130-PR
	15.00	SH-OS-380-150-PR	SH-OS-425-150-PR	SH-OS-500-150-PR

Extraction tools for intraoral removing of implants		
	BC-EX230	short
	BL-EX230	long

Depth gauge	
	PROF3

Mounter		
	MOU-EX230	mounter
	CM2	mounter stop key

Carrier P.A.D.	
	PAD-CAR

Torque wrench with control lever	
	TWL

Spare O-ring	
	ORING180-088

Implant platforms and prosthetic combinations

The connection platforms of Shelta implants are characterized by the presence of the same hexagon and external collar, which allows the choice of the size of the abutment.

According to the chosen prosthetic protocol, a Platform Switching can be made or a matching size post can be used.

ø implant	3.80 ●	4.25 ●	5.00 ●	6.00 ●
ø compatible prosthetic component	3.30 ●	3.30 ●	3.30 ●	-
	3.80 ●	3.80 ●	3.80 ●	3.80 ●
	-	4.25 ●	4.25 ●	4.25 ●
	-	-	5.00 ●	5.00 ●


Please note

Prosthetic components with ø 3.30 mm determine prosthetic Platform Switching with ø 3.80, 4.25 and 5.00 mm implants. These components should only be used for single crowns in frontal sectors (premolar excluded), and in distal sectors only to support multiple restorations.

Tissues conditioning


Healing abutments

Healing abutments with straight emergence




transgingival h	ø 3.30 ●	ø 3.80 ●
2.00	A-TMG-330-2	A-TMG-380-2
3.00	A-TMG-330-3	A-TMG-380-3
5.00	A-TMG-330-5	A-TMG-380-5
7.00	A-TMG-330-7	-

Healing abutments with anatomical emergence




transgingival h	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●
2.00	A-TMGR-330-2	A-TMGR-380-2	AS-TMGR-425-2	AS-TMGR-500-2
3.00	A-TMGR-330-3	A-TMGR-380-3	AS-TMGR-425-3	AS-TMGR-500-3
5.00	A-TMGR-330-5	A-TMGR-380-5	AS-TMGR-425-5	AS-TMGR-500-5
7.00	-	A-TMGR-380-7	AS-TMGR-425-7	AS-TMGR-500-7

Healing abutments with coronal enlargement




transgingival h	ø 3.30 ●	ø 3.80 ●
2.00	A-TMTCR-330-2	A-TMTCR-380-2
3.00	A-TMTCR-330-3	A-TMTCR-380-3
5.00	A-TMTCR-330-5	A-TMTCR-380-5

Healing abutments with wide profile






transgingival h	ø 3.30 ●	ø 3.80 ●
2.00	A-TMGB-330-2	A-TMGB-380-2
3.00	A-TMGB-330-3	A-TMGB-380-3
4.00	A-TMGB-330-4	A-TMGB-380-4


Temporary posts

PEEK temporary posts with titanium base					
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-MPSC-330	-	-	-	repositionable, straight emergence
	A-MPSCR-330	A-MPSCR-380	AS-MPSCR-425	AS-MPSCR-500	repositionable, anatomical emergence

VM2-180 fixation screw included.


SIMPLE titanium temporary posts					
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-MPSA-330-EX	A-MPSA-380-EX	-	-	repositionable, anatomical emergence
	A-MPSA-330	A-MPSA-380	-	-	rotating, anatomical emergence
	A-MPSCI-330-EX	A-MPSCI-380-EX	AS-MPSCI-425-EX	AS-MPSCI-500-EX	repositionable, straight emergence
	A-MPSCI-330	A-MPSCI-380	AS-MPSCI-425	AS-MPSCI-500	rotating, straight emergence
	A-MPS-330	A-MPS-380	-	-	rotating, wide emergence

VM2-180 fixation screw included.


Titanium temporary posts with castable sleeve					
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-CTI-330	A-CTI-425	-	-	rotating
	A-CCI-S	A-CCI-S	-	-	spare castable PMMA sleeve, fixation screw not included


VM2-180 fixation screw included.

Impression and model phase





Pick-up transfers					
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-TRA-330	A-TRA-380	AS-TRA-425	AS-TRA-500	straight emergence
	A-TRAR-330	A-TRAR-380	AS-TRAR-425	AS-TRAR-500	anatomical emergence

VTRA2-180-15 screw included.

Pull-up transfers					
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-TRAP-330	-	-	-	straight emergence
	A-TRARP-330	A-TRARP-380	AS-TRARP-425	AS-TRARP-500	anatomical emergence



Closed-tray transfers					
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-TRAS-330	-	-	-	straight emergence
	A-TRARS-330	A-TRARS-380	AS-TRARS-425	AS-TRARS-500	anatomical emergence

VTRA2-180-10 fixation screw included.



Analog	
	A-ANA-380 ø 3.80 ●
	SH-ANA-425 ø 4.25 ●
	SH-ANA-500 ø 5.00 ●
	SH-ANA-600 ø 6.00 ●

Posts


Premade posts

Premade straight posts						
transgingival h	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●		
	1.00	A-MD-330-1	A-MD-380-1	AS-MD-425-1	AS-MD-500-1	straight emergence
	2.00	A-MD-330-2	A-MD-380-2	AS-MD-425-2	AS-MD-500-2	
	4.00	A-MD-330-4	A-MD-380-4	AS-MD-425-4	AS-MD-500-4	
	1.00	A-MDR-330-1	A-MDR-380-1	AS-MDR-425-1	AS-MDR-500-1	anatomical emergence
	2.00	A-MDR-330-2	A-MDR-380-2	AS-MDR-425-2	AS-MDR-500-2	
	4.00	A-MDR-330-4	A-MDR-380-4	AS-MDR-425-4	AS-MDR-500-4	

VM2-180 fixation screw included.


Premade angled posts						
transgingival h	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●		
	1.75	A-MA15-330	-	-	-	angled at 15°, straight emergence
	1.80	A-MAR15-330	A-MAR15-380	AS-MAR15-425	AS-MAR15-500	angled at 15°, anatomical emergence
	1.80	-	A-MAR25-380	AS-MAR25-425	-	angled at 25°, anatomical emergence

VM2-180 fixation screw included.


Shoulderless premade straight posts						
h post	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●		
	15.00	A-MD-330-15	A-MD-380-15	-	-	repositionable

VM2-180 fixation screw included.


Preparable posts

Standard preparable posts						
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●		
		A-MF-330	A-MF-380	AS-MF-425	AS-MF-500	straight emergence
		A-MFR-330	A-MFR-380	AS-MFR-425	AS-MFR-500	anatomical emergence

VM2-180 fixation screw included.





Precut preparable posts						
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●		
		A-MFP-330	-	-	-	straight emergence
		A-MFPR-330	A-MFPR-380	AS-MFPR-425	AS-MFPR-500	anatomical emergence

VM2-180 fixation screw included.

SIMPLE preparable posts						
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●		
		A-MFS-330	A-MFS-380	AS-MFS-425	AS-MFS-500	very wide emergence

VM2-180 fixation screw included.

Prosthetic solutions for vertical technique

Components for vertical technique		
	unique platform	
	A-TMG-MEFL-330	Gr. 5 titanium healing abutments
	A-PPF-330-EX	REEF resin posts, repositionable
	A-PPF-330	REEF resin posts, rotating
	A-MEFL-330	Gr. 5 titanium preparable posts
	CAP-MEFL-5	impression cap

Resin and preparable posts: fixation screw VM2-180 included.




XA prosthetic range

Posts for XA cemented restorations

transgingival h	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
1.00	SH-MD-F-330-1	SH-MD-F-380-1	SH-MD-F-425-1	-	
2.00	SH-MD-F-330-2	SH-MD-F-380-2	SH-MD-F-425-2	-	

L-VMS-180 fixation screw included.

Components for XA cemented restorations

	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	SH-ANA-MD-F-330	SH-ANA-MD-F-380	SH-ANA-MD-F-425	-	analog
	SH-TRA-MD-F-330	SH-TRA-MD-F-380	SH-TRA-MD-F-425	-	transfer
	SH-CP-MD-F-330	SH-CP-MD-F-380	SH-CP-MD-F-425	-	PEEK caps

Posts for screw retained restorations for XA technique

transgingival h	ø 3.30 ●	ø 3.80 ●	
4.50	A-ABU-F-TS-330-4	SH-ABU-F-TS-380-4	
5.50	A-ABU-F-TS-330-5	SH-ABU-F-TS-380-5	
6.50	A-ABU-F-TS-330-6	SH-ABU-F-TS-380-6	


Fixation screw included (see details at page 13).

Scanbodies for laboratory and intraoral use in titanium

	unique platform	
XA-INT-CAMTRA-L	for XA posts	










A-PLAIN-VP200 screw included.

Titanium premilled posts for XA abutment

	unique platform	
XA-CAMT-ABU-12-SW		

A-PLAIN-VP100 screw included.





Components for XA screw retained restorations

	unique platform	
	SH-ANABU-F-380	analog
	SH-TRABU-F-380	transfer
	SH-CCABU-F-380	castable sleeves, repositionable
	SH-CCABU-F-380-ROT	castable sleeves, rotating
	SH-CG-ABU-F-380	PEEK healing cap
	SH-CTABU-F-380	Gr. 5 titanium sleeves, repositionable
	SH-CTABU-F-380-ROT	Gr. 5 titanium sleeves, rotating
	CAP-TS-DEF	Conoweld cap for luting

Transfer: SH-VTRABU-F-200 screw included. Castable and titanium sleeves: A-PLAIN-VP200 screw included.





Castable posts with a metal base and fully castable posts

Castable posts with a metal base

	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-UCTR-330-EX	A-UCTR-380-EX	-	-	Gr. 5 titanium base, repositionable
	A-UCRCO-330-EX	A-UCRCO-380-EX	AS-UCRCO-425-EX	AS-UCRCO-500-EX	cobalt chrome base, repositionable
	A-UCRCO-330	A-UCRCO-380	AS-UCRCO-425	AS-UCRCO-500	cobalt chrome base, rotating
	A-CCUCR-330	A-CCUCR-380	AS-CCUCR-425	AS-CCUCR-500	spare castable PMMA sleeve, fixation screw not included





VM2-180 fixation screw included.

Dynamic Abutment

	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	PD3PKH330/CC	PD3PKH380/CC	-	-	cobalt chrome base, repositionable
	PD3PKR330/CC	PD3PKR380/CC	-	-	cobalt chrome base, rotating
	PD3PKH330/P	PD3PKH380/P	-	-	fully castable, repositionable
	PD3PKR330/P	PD3PKR380/P	-	-	fully castable, rotating

TPDH18L66 screw not included.

Fully castable posts

	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-CC-330-EX	A-CC-380-EX	-	-	repositionable, straight emergence
	A-CCR-330-EX	A-CCR-380-EX	AS-CCR-500-EX	AS-CCR-500-EX	repositionable, anatomical emergence
	A-CC-330	A-CC-380	-	-	rotating, straight emergence
	A-CCR-330	A-CCR-380	AS-CCR-425	AS-CCR-500	rotating, anatomical emergence

VM2-180 fixation screw included.

Abutment

P.A.D. abutments (Disparallel Screwed Prosthesis)

Straight P.A.D. abutments

transgingival h	ø 3.30	ø 3.80	ø 4.25	ø 5.00
	1.50	A-PAD-AD330-15	A-PAD-AD380-15	AS-PAD-AD425-15
3.00	A-PAD-AD330-30	A-PAD-AD380-30	AS-PAD-AD425-30	AS-PAD-AD500-30
4.00	A-PAD-AD330-40	A-PAD-AD380-40	AS-PAD-AD425-40	AS-PAD-AD500-40

Angled P.A.D. abutments

transgingival h	ø 3.30	ø 3.80	ø 4.25	ø 5.00	
3.00	A-PAD-AA330-173	A-PAD-AA380-173	AS-PAD-AA425-173	AS-PAD-AA500-173	17°
5.00	A-PAD-AA330-175	A-PAD-AA380-175	AS-PAD-AA425-175	AS-PAD-AA500-175	17°
3.00	A-PAD-AA330-303	A-PAD-AA380-303	AS-PAD-AA425-303	AS-PAD-AA500-303	30°
5.00	A-PAD-AA330-305	A-PAD-AA380-305	AS-PAD-AA425-305	AS-PAD-AA500-305	30°

PAD-VM-180 fixation screw included.

Abutment P.A.D.r (reduced Disparallel Screwed Prosthesis)

Straight P.A.D.r abutments

transgingival h	unique platform
1.50	A-PADR-AD330-15
3.00	A-PADR-AD330-30
4.00	A-PADR-AD330-40

PADR-VM-180 screw included | PADR-VTRAL-140-M transfer screw included.

Angled P.A.D.r abutments

transgingival h	unique platform	
3.00	A-PADR-AA330-173	angled at 17°
5.00	A-PADR-AA330-175	
3.00	A-PADR-AA330-303	angled at 30°
5.00	A-PADR-AA330-305	

PADR-VM-180 screw included | PADR-VTRAL-140-M transfer screw included.

P.A.D. components for overstructures

Protection caps

unique platform	
PAD-CG	in Gr. 5 titanium
PAD-CGP	in PEEK

PAD-VP-140 fixation screw included.

Impression and model phase

unique platform	
PAD-CAP	POM cap for impression taking, rotating
PAD-CAP-EX	POM cap for impression taking, repositionable
PAD-TRA	Gr. 5 titanium Pick-up transfer, rotating
PAD-TRA-EX	Gr. 5 titanium Pick-up transfer, repositionable
PAD-ANA	Gr. 5 titanium analog for P.A.D. abutment

Pick-up transfer: PAD-VTRAL-140 fixation screw included.

Castable abutments with a metal base

unique platform	
PAD-UCRCO	PMMA castable sleeve, cobalt chrome base, repositionable

PAD-VP-140 fixation screw included.

P.A.D. components for prosthesis relining and luting technique

unique platform	
PAD-CP	PEEK sleeve for relining, rotating
PAD-CP-EX	PEEK sleeve for relining, repositionable
PAD-CT	Gr. 5 titanium sleeves, rotating
PAD-CT-EX	Gr. 5 titanium sleeves, repositionable
PAD-CCEM	PMMA castable sleeve for Gr. 5 titanium sleeves, fixation screw not included
PAD-CC	castable sleeves in PMMA, rotating
PAD-CC-EX	castable sleeves in PMMA, repositionable


PEEK, Gr. 5 titanium and PMMA sleeves: PAD-VP-140 screw included.






P.A.D. prostheses for D.P.F. technique

unique platform	
PAD-CT-LV	spare titanium sleeve
PAD-CC-LV	spare castable centring device
PAD-TR-LV	spare anti-escape plug
PAD-ORING-LV	spare protection O-ring
PAD-LV	complete pack of the prosthetic components for the "D.P.F." technique
BARC	castable bars, l 5 cm, ø 2.20 mm

Titanium sleeves: PAD-VP-140 fixation screw included.


PLAIN abutment

PLAIN abutment					
	transgingival h	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●
	2.00	A-PLAIN-ABU330-2	A-PLAIN-ABU380-2	AS-PLAIN-ABU425-2	AS-PLAIN-ABU500-2
	3.00	A-PLAIN-ABU330-3	A-PLAIN-ABU380-3	AS-PLAIN-ABU425-3	AS-PLAIN-ABU500-3
	4.00	A-PLAIN-ABU330-4	A-PLAIN-ABU380-4	AS-PLAIN-ABU425-4	AS-PLAIN-ABU500-4






Components for PLAIN abutments					
	ø 3.30 ●	ø 3.80 ●	ø 4.25 ●	ø 5.00 ●	
	A-PLAIN-CG330	A-PLAIN-CG380	A-PLAIN-CG425	A-PLAIN-CG500	healing caps
	A-PLAIN-CC330	A-PLAIN-CC380	A-PLAIN-CC425	A-PLAIN-CC500	castable sleeves
	A-PLAIN-CT330	A-PLAIN-CT380	A-PLAIN-CT425	A-PLAIN-CT500	Gr. 5 titanium sleeves
	A-PLAIN-TRA-330	A-PLAIN-TRA-380	A-PLAIN-TRA-425	A-PLAIN-TRA-500	Pick-up transfers
	A-PLAIN-ANA-330	A-PLAIN-ANA-380	A-PLAIN-ANA-425	A-PLAIN-ANA-500	analog

Castable and titanium sleeves: A-PLAIN-VP200 fixation screw included. Pick-up transfers: A-PLAIN-VTRA200 fixation screw included.


Conico conometric prosthesis

Straight Conico posts			
	transgingival h	ø 3.30 ●	ø 3.80 ●
	0.50	A-MD-TS-330-05	-
	1.00	A-MD-TS-330-10	A-MD-TS-380-10
	2.00	A-MD-TS-330-20	A-MD-TS-380-20
	3.00	A-MD-TS-330-30	A-MD-TS-380-30







VM2-180 fixation screw included.

Gr. 2 titanium bars, for prostheses on conometric posts*		
	DW-BARRA1.2	circular profile l 150 mm, ø 1.20 mm
	DW-BARRA1.5	circular profile l 150 mm, ø 1.50 mm
	DW-BARRA1.8	circular profile l 150 mm, ø 1.80 mm
	DW-BARRA1x3	rectangular profile l 100 mm, 3x1 mm
	DW-BARRA2x4	rectangular profile l 100 mm, 4x2 mm

* 5 pieces packaging.

Angled Conico posts			
	transgingival h	unique platform	
	2.00	A-MA07-TS-330-2	angled at 7.5°
	2.00	A-MA15-TS-330-2	angled at 15°
	2.00	A-MA20-TS-330-2	angled at 22.5°

VM2-180 fixation screw included.

Components for conometric prosthesis		
	CAP2-TS-DEF	cap for partial or full-arch fixed prosthesis
	CAP2-TS-IND	non-rotating cap for single element
	CAP2-TS-REM	cap for the removal
	CAP2-TS-IMP	PEEK transfer cap for direct impression on Conico abutment
	ANA2-MD-TS	Conico post analog
	CAP2-TS-PIN	cap with pin, to be used for intraoral welding

CAD-CAM prosthetic solutions

Customized abutments and screw retained crowns (full or with luting support)

Full bridges or bridges with luting support

DIRECT/TORONTO Full bridges or bridges with luting support

Milled bars tightened on implants



Scanbody

Scanbodies for laboratory and intraoral use in titanium

ø 3.30 ● ø 3.80 ●



A-INT-CAMTRA330-L

A-INT-CAMTRA380-L

to transfer P.A.D. abutments connection position

Fixation screw VM2-180 included.

Scanbodies for laboratory and intraoral use in titanium for Conico system

unique platform



C-INT-CAMTRA-L

Scanbodies for laboratory and intraoral use in titanium

unique platform



PAD-INT-CAMTRA-L

for P.A.D. abutment



A-INT-CAMTRA-PLAIN-L

for PLAIN abutments



XA-INT-CAMTRA-L

for XA posts

Scanbody for implants: fixation screw VM2-180 included. Scanbody for P.A.D. abutments: fixation screw PAD-VP-140 included. Scanbody for PLAIN and XA abutments: fixation screw A-PLAIN-VP200 included.

Supports for luting technique

Standard T-Connect



cone height

ø 3.30 ●

ø 3.80 ●

ø 4.25 ●

ø 5.00 ●

4.00

A-BASTZR-S-330-4

A-BASTZR-S-380-4

AS-BASTZR-S-425-4

AS-BASTZR-S-500-4

repositionable

6.00

A-BASTZR-S-330-6

A-BASTZR-S-380-6

AS-BASTZR-S-425-6

AS-BASTZR-S-500-6



4.00

A-BASTZR-M-330-4

A-BASTZR-M-380-4

AS-BASTZR-M-425-4

AS-BASTZR-M-500-4

rotating

6.00

A-BASTZR-M-330-6

A-BASTZR-M-380-6

AS-BASTZR-M-425-6

AS-BASTZR-M-500-6

VM2-180 fixation screw included.

T-Connect with 4.00 mm cone height and different transgingival heights



transgingival h

ø 3.30 ●

ø 3.80 ●

ø 4.25 ●

ø 5.00 ●

1.00

A-TCR-S-330-4-1

A-TCR-S-380-4-1

-

-

repositionable

2.00

A-TCR-S-330-4-2

A-TCR-S-380-4-2

-

-

3.00

A-TCR-S-330-4-3

A-TCR-S-380-4-3

-

-



1.00

A-TCR-M-330-4-1

A-TCR-M-380-4-1

-

-

rotating

2.00

A-TCR-M-330-4-2

A-TCR-M-380-4-2

-

-

3.00

A-TCR-M-330-4-3

A-TCR-M-380-4-3

-

-

VM2-180 fixation screw included.

Sleeves for wax-up modeling



cone height

ø 3.30 ●

ø 3.80 ●

ø 4.25 ●

ø 5.00 ●

4.00

A-CCBAS-330-4

A-CCBAS-380-4

A-CCBAS-425-4

A-CCBAS-500-4

6.00

A-CCBAS-330-6

A-CCBAS-380-6

A-CCBAS-425-6

A-CCBAS-500-6

Interfase Dinamica



cone height

ø 3.30 ●

ø 3.80 ●

4.00

IND3PKR330/TIA

IND3PKR380/TIA

non rotating

4.00

IND3PKH330/TIA

IND3PKH380/TIA

repositionable

TPDH18L66 fixation screw not included.

Titanium sleeves for P.A.D. abutments



PAD-BASTZR

PAD-VP-140 fixation screw included.


Supports for luting chairside technique

Chairside T-Connect supports with 5.00 mm h cementation cone					
transgingival height	ø 3.30	ø 3.80	ø 4.25	ø 5.00	
0.50	A-TCS-330S-C	A-TCS-380S-C	A-TCS-425S-C	A-TCS-500S-C	
1.50	A-TCS-330S-C-15	A-TCS-380S-C-15	-	-	
2.50	A-TCS-330S-C-25	A-TCS-380S-C-25	-	-	

VM2-180 fixation screw included.


Titanium premilled posts					
	ø 3.30	ø 3.80	ø 4.25	ø 5.00	
	A-CAMT-330-12-SW	A-CAMT-380-12-SW	AS-CAMT-425-12-SW	AS-CAMT-500-12-SW	repositionable


VM2-180 fixation screw included.


Premilled in titanium per abutment XA	
	unique platform
	XA-CAMT-ABU-12-SW




A-PLAIN-VP100 fixation screw included.


Clinical and laboratory prosthetic screws






Standard fixation screws		
	VM2-180	
	VM2-180-10	10 pcs packaging






Conical support fixation screws		
	L-VMS-180	
	L-VMS-180-10	10 pcs packaging



Fixation screws for Dynamic Abutment and Interface Dynamica	
	TPDH18L66




Screws for Pick-up transfer		
	VTRA2-180-15	h 15.00
	VTRA2-180-20	h 20.00
	VTRA2-180-MAN	for manual screwing

Screws for closed-tray transfers		
	VTRA2-180-10	h 10.00

Screws for XA technique		
	SH-VABU180-200-4	for post h. 4.50 for screw-retained prosthesis
	SH-VABU180-200-5	for post h. 5.50 for screw-retained prosthesis
	SH-VABU180-200-6	for post h. 6.50 for screw-retained prosthesis
	A-PLAIN-VP200	for cemented prosthesis
	L-VMS-180	for cemented prosthesis

Screws for P.A.D. abutments		
	PAD-VM-180	
	PAD-VM-180-10	10 pcs packaging
	PAD-VTRAL-140	for Pick-up transfer, long
	PAD-VTRA-140	for Pick-up transfer, standard
	PAD-VTRAL-140-MAN	for Pick-up transfer, manual screwing
	PAD-VP-140	for prosthetic components on P.A.D. abutments
	PAD-VP-140-10	10 pcs packaging

Screws for PLAIN abutments		
	A-PLAIN-VP200	for PLAIN abutment
	A-PLAIN-VP200-10	10 pcs packaging
	A-PLAIN-VTRA200	for PLAIN abutment transfers

Screws for CAD-CAM custom made prosthesis		
	A-CAMTVABU180	for zirconium oxide single crowns and ECHO overstructures
	PAD-VCAM140	for zirconium oxide ECHO overstructures on P.A.D. abutments
	CAMPRON205-10	spare ring washers for the head of the screw


Recommended torque for tightening prosthetic components		
8-10 Ncm	surgical cover screws, healing abutments	
20-25 Ncm	prosthetic screws	
25-30 Ncm	direct screwing on implants prosthetic components	
8-10 Ncm	transfer screws	





Warning





Fixation screws are always included in the packaging of each prosthetic component, unless otherwise indicated. Please use laboratory screws for laboratory phases and keep the screw included with the prosthetic component for the final fastening in the patient's mouth.

Solutions for overdenture


Locator abutments and accessories

Locator abutments			
	transgingival h	ø 3.30 ●	ø 3.80 ●
	1.00	1670	1675
	2.00	1671	1676
	3.00	1672	1677
	4.00	1674	1678
	5.00	-	1679
	6.00	-	1680








Accessories for Locator abutments		
	unique platform	
	8530	4 aluminium analogs
	8505	4 aluminium transfers, 4 retainers cod. 8515 included
	8517	4 parallelism pins in nylon
	9530	steel plate AISI 316 L












Locator Core Tool		
	8393	complete Locator Core Tool
	8397	steel push rod for inserting the retainers in the caps
	8390	steel driver for abutment screwing/unscrewing
	8394	retention jacket for the driver, to transfer the Locator abutments into the oral cavity









Locator R-Tx abutments and accessories

Locator R-Tx abutments*			
	transgingival h	ø 3.30 ●	ø 3.80 ●
	1.00	31110-01	31111-01
	2.00	31110-02	31111-02
	3.00	31110-03	31111-03
	4.00	31110-04	31111-04
	5.00	31110-05	31111-05
	6.00	31110-06	31111-06

* package "ALL IN ONE" with double opening that contains separately both the abutment and the components to be included in the overdenture




Accessories for Locator R-Tx abutment		
	unique platform	
	30013	pack of 4 caps and 4 black retainers for impression taking
	30001	grey, without retention, pack of 4 pcs
	30002	blue, low retention, pack of 4 pcs
	30003	pink, medium retention, pack of 4 pcs
	30004	white, high retention, pack of 4 pcs
	30012	black, for the impression taking, pack of 4 pcs
	08514	spacer rings for the prosthesis relining phase, pack of 20 pcs

Retainers and spacer rings for Locator abutments		
	unique platform	
	8515	low retention capacity for impression taking, black, in polyethylene, 4 pcs packaging
	8524	retention 5 lb = 2268 g, in nylon, disparallelisms up to 10° per side, 4 pcs packaging
	8527	retention 3 lb = 1361 g, in nylon, disparallelisms up to 10° per side, 4 pcs packaging
	8529	retention 1,5 lb = 680 g, in nylon, disparallelisms up to 10° per side, 4 pcs packaging
	8547	retention 4 lb = 1814 g, in nylon, disparallelisms up to 20° per side, 4 pcs packaging
	8915	retention 2 lb = 907 g, in nylon, disparallelisms up to 20° per side, 4 pcs packaging
	8548	retention 1 lb = 450 g, in nylon, disparallelisms up to 20° per side, 4 pcs packaging
	8514	spacer rings in silicon rubber, 20 pcs packaging
	8519-2	kit: 2 Gr. 5 titanium caps, 2 spacer rings, 2 black retainers and 2 nylon retainers for each of the 3 different retention capacities
	8540-2	kit: 2 Gr. 5 titanium caps, 2 spacer rings, 2 black retainers and 2 nylon retainers for each of the 3 different retention capacities meant for disparallelisms
	8550-2	kit: 2 Gr. 5 steel caps, 2 spacer rings, 2 black retainers and 2 nylon retainers for each of the 3 different retention capacities








Accessories for Locator R-Tx abutment		
	unique platform	
	30014	aluminium analogs for abutments ø 3.35 mm pack of 4 pcs
	30015	aluminium analogs for abutments ø 4.00, pack of 4 pcs
	30016	aluminium analogs for abutments ø 5.00, pack of 4 pcs
	30017	transfers with low retention, pack of 4 pcs
	30018	spacer rings for relining phase, pack of 4 pcs
	30021	Locator Core Tool for Locator R-Tx
	08008	RA screwdriver for Locator R-Tx, hex 1.25 mm
	08007	digital screwdriver for Locator R-Tx, hex 1.25 mm

Ball attachments and accessories


Ball attachments

	transgingival h	ø 3.30 	ø 3.80 
	1.00	A-AS-330-1	A-AS-380-1
2.00	A-AS-330-2	A-AS-380-2	
4.00	A-AS-330-4	A-AS-380-4	

Caps for ball attachments





unique platform	
	CAP-TFL-1 polyamide cap
	CONT-CAP-TFL-1 steel container for polyamide cap
	CAP-TIT-1 Gr. 5 Ti cap with cap in two parts, Ti retention spring and plastic
	AN-CAP-TIT-1 spare plastic ring
	MOL1-CAP-TIT-1 spare steel spring, average hardness
	MOL2-CAP-TIT-1 spare steel spring, soft
	CAP-1 gold alloy cap, with 3 plastic rings and a tin spacer for the lab

Analog for ball attachments

unique platform	
	ANAS

Bars

Overdenture on bars

	BARC-CAV-TIT	castable bar, l 5.00 cm, h 3.00 mm, thickness 2.20 mm, ovoid-shaped profile with spacer
	CAV-TIT	divisible bar attachment in titanium for oval bars, h 3.00 mm, thickness 2.20 mm
	BARC	castable bar, l 5.00 cm, ø 2.20 mm
	CAV-375	bar attachment in gold alloy for round bars ø 2.20 mm



rev. 12-22



Sweden & Martina S.p.A.
Via Veneto, 10
35020 Due Carrare (PD), Italy
Tel. +39.049.9124300
Fax +39.049.9124290
info@sweden-martina.com
www.sweden-martina.com

Sweden & Martina Ltd
Unit 1b
Amberley Court, Whitworth Road
Crawley, West Sussex, RH11 7XL
Toll free 0800 1123575
info.uk@sweden-martina.com

Sweden & Martina Inc.
Distributor for U.S.
4700 S Mill Ave, Ste B-16
PO Box 23748 - Tempe, AZ 85282
Toll free 1-844-8MARTINA (1-844-862-7846)
info.us@sweden-martina.com
www.sweden-martinainc.com

Sweden & Martina Mediterranea S.L.
España - info.es@sweden-martina.com
Sweden & Martina Lda
Portugal - info.pt@sweden-martina.com

The implants, standard prosthetic components and surgical instruments contained in this catalogue are Medical devices and are manufactured by Sweden & Martina S.p.A., except for:

- Locator Abutment and related components which are medical devices manufactured by Zest Anchors, Inc., 2875 Loker Avenue East, Carlsbad, CA 92010, USA. Locator is a trademark by Zest Anchors, Inc.
 - the Dynamic Abutment, Interfase Dynamica which are medical devices manufactured by Talladium España S.L., Avenida Blondel, 54 3º, 25002 Lleida, Spagna. Dynamic Abutment and Interfase Dynamica are trademarks by Talladium.
- They conform to the ISO 9001 and ISO 13485 standards and are certified with the CE Mark in compliance with Regulation (EU) Medical Devices n. 2017/745.

The Sweden & Martina plant manufactures Medical Devices in compliance with the CGMPs in force in the USA and in other countries worldwide.



Some products may not be regulatory/released for sale in all markets.
All trademarks herein are the property of Sweden & Martina S.p.A. unless otherwise indicated.
This material is intended for laboratories and clinicians and is not intended for patient distribution.
This material is not to be redistributed, duplicated, or disclosed without the express written consent of Sweden & Martina S.p.A.
For additional product information, including indications, contraindications, warnings, precautions, and potential adverse effects, see Sweden & Martina S.p.A. website.

The contents are updated at the time of publication. Check with the company for any subsequent updates.