


PERI-SET

Surgical treatment of
periimplantitis




PERI-SET

The crucial issue for the treatment of periimplantitis is the difficulty in completely removing pathogens and damaged tissues from the surface of the implant and, at the same time, restoring the macro and microgeometry of the surface making it suitable again for the hard and soft tissues. This kit has been developed in order that a decontamination protocol of the implant's surface microgeometry and modification of its macrogeometry can be reproduced by odontologists with a view to optimal healing of tissue.

PERI-SET contains 2 types of disposable brushes, one with a pointed tip and one with open bristles, for a thorough cleaning of the surface. In addition there is a diamond drill and disc used for implantoplasty, as well as two different coloured tapered rubber tips for completing the treatment. The instruments are contained in a practical instrument holder made of stainless steel which can be sterilized and is autoclavable; it also allows the instruments to be organized ergonomically.

The two disposable brushes with a pointed tip and two with open bristles included in the kit are not to be sterilized and reused but are to be replaced after every use.

When the cover is open, the base of the instrument holder is placed at a angle allowing better working ergonomics.



The morphology of the diamond instruments allows the implant surface to be abraded without needing to remove the prosthesis.

The tapered rubber tips can be distinguished thanks to the two different colours (red and green).

Instrumentation

Pointed brush 260/015CAXL



Brush with nickel-titanium bristles. It is used with a 300-600 rpm micromotor to carry out cleaning of the implant's surface, in particular the surface of the threads. It must be used with a horizontal movement along the pitch of the thread or with vertical movements in a coronal and then apicocoronal direction. This brush is disposable.

Brush with open bristles 261/018CAXL



Brush with open nickel-titanium bristles. It is used with a 300-600 rpm micromotor to carry out cleaning of the implant's surface, placing the brush's fibers perpendicularly to the surface. This brush is disposable.

Diamond drill FG811/037C



The diamond head of this drill has a double cone shape. It is used with a red ring reducer handpiece or with a turbine to carry out the resection of the threads and the first step of smoothing the portions outside the bone levels, both horizontally and vertically. The pronounced angle of the head's surface enables work to be performed along the external profile of the implant, including situations in which it is not possible to remove, even temporarily, the prosthetic over-structure connected to the implant affected by periimplantitis.

Diamond disc FG824/037C



This diamond instrument has a disc-shaped head. It is used with a red ring reducer handpiece or with a turbine to carry out the resection and the first step of smoothing the portions of the implant's surface and threads outside the horizontal and vertical bone levels. The disc's flat shape and small diameter enable work to be performed perpendicularly to the external profile of the fixture, including situations in which it is not possible to remove, even temporarily, the prosthetic over-structure connected to the implant.

Red rubber polisher 9503CA



This instrument can be recognized by its red head. It is operated with a micromotor and must be used at approximately 1200 rpm to perform polishing of the portions of the implant's surface external to the horizontal and vertical bone levels.

Green rubber polisher 9533CA



Similar to the red rubber polisher, but with a finer grain, this is operated with a micromotor at approximately 1200 rpm to carry out the final step in polishing the portions of the implant's surface outside the horizontal and vertical bone levels.

Contents of PERI-SET kit

description	code	quantity
Pointed nickel-titanium brush Attachment for right angle Disposable	260/015CAXL*	2
Brush with open nickel-titanium bristles Attachment for right angle Disposable	261/018CAXL*	2
Diamond drill with double cone Medium grain Attachment for turbine	FG811/037C	1
Diamond disc Medium grain Attachment for turbine	FG824/037C	1
Tapered rubber tip, red Attachment for right angle	9503CA	1
Tapered rubber tip, green, fine grain Attachment for right angle	9533CA	1

* Only the items 260/015CAXL and 261/018CAXL can be ordered separately as spares

description	code
PERI-SET, Kit for surgical treatment of periimplantitis containing no. 8 instruments	Z4600
Empty tray	4600



Sweden & Martina S.p.A.
Via Veneto, 10
35020 Due Carrare (PD), Italy
Tel. +39.049.9124300
Fax +39.049.9124290
info@sweden-martina.com
www.sweden-martina.com

Sweden & Martina Inc. - Distributor for U.S.
Plaza Tower
600 Anton Blvd., Suite 1134
Costa Mesa, CA 92626
Toll free 1-844-8MARTINA (1-844-862-7846)
info.us@sweden-martina.com

Sweden & Martina Mediterranea S.L. - España
info.pes@sweden-martina.com
Sweden & Martina Lda - Portugal
info.pt@sweden-martina.com
Sweden & Martina Ltd. - United Kingdom
info.uk@sweden-martina.com

The implants, standard prosthetic components and surgical instruments contained in this catalogue are Medical devices and are manufactured by Sweden & Martina S.p.A. They conform to the ISO 9001 and ISO 13485 standards and are certified with the CE Mark (Class I) and CE 0476 mark (Class IIA and class IIB) in compliance with European Medical Device Directive No. 93/42 and European Directive No. 2007/47/CE. They are conform to the QSR 21 CFR part 820 and are approved by FDA. We have met the good manufacturing standards (GMP) set forth by many countries worldwide, including the United States FDA.



Some products may not be regulatory/released for sale in all markets.

All trademarks herein are the property of Sweden & Martina S.p.A. unless otherwise indicated.

This material is intended for laboratories and clinicians and is not intended for patient distribution.

This material is not to be redistributed, duplicated, or disclosed without the express written consent of Sweden & Martina S.p.A.

For additional product information, including indications, contraindications, warnings, precautions, and potential adverse effects, see Sweden & Martina S.p.A. website.

The contents are updated at the time of publication. Check with the company for any subsequent updates.



D-EXP-PERSET-USA